Kordon® Termite Barrier

Version 1 / AUS Revision Date: 24.05.2021 102000029699 Print Date: 24.05.2021

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Kordon® Termite Barrier

Product code (UVP) 81694117

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Cropscience Pty Ltd

ABN 87 000 226 022 Level 1, 8 Redfern Road 3123 Hawthorn East

Victoria Australia

Telephone (03) 9248 6888 **Telefax** (03) 9248 6800

Responsible Department 1800 804 479 Technical Information Service

Website www.es.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Acute aquatic toxicity: Category 1 H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to specific Australian legislation

No hazard label for supply/use required.

2.3 Other hazards

No additional hazards known beside those mentioned.

Kordon® Termite Barrier

 Version 1 / AUS
 Revision Date: 24.05.2021

 102000029699
 Print Date: 24.05.2021

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Deltamethrin 0,4 % w/w Others (XX)

Chemical name	CAS-No.	Concentration [%]
Deltamethrin	52918-63-5	0.40
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	55965-84-9	> 0.0002 - < 0.0015
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

Inhalation Move to fresh air.

Skin contact Wash off with soap and water. In case of skin irritation, application of

oils or lotions containing vitamin E may be considered. If symptoms

persist, call a physician.

Eye contact In case of eye contact, remove contact lens and rinse immediately with

plenty of water, also under the eyelids, for at least 15 minutes.

Ingestion Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms Local:, Skin and eye paraesthesia which may be severe, Usually

transient with resolution within 24 hours, Skin, eye and mucous

membrane irritation, Cough, Sneezing

Systemic:, discomfort in the chest, tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular

fasciculation, Apathy, Dizziness

4.3 Indication of any immediate medical attention and special treatment needed

Risks This product contains a pyrethroid. Pyrethroid poisoning should not be

confused with carbamate or organophosphate poisoning.

Kordon® Termite Barrier

 Version 1 / AUS
 Revision Date: 24.05.2021

 102000029699
 Print Date: 24.05.2021

Treatment Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory

and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or

artificial respiration if needed. In case of convulsions, a

benzodiazepine (e.g. diazepam) should be given according to standard

regimens. If not effective, phenobarbital may be used.

Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without

sequelae.

In case of skin irritation, application of oils or lotions containing vitamin

E may be considered.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide

Unsuitable High volume water jet

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

Hazchem CodeNot applicable

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning upCollect and transfer the product into a properly labelled and tightly

closed container.

Additional advice Check also for any local site procedures.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

Kordon® Termite Barrier

Version 1/AUS Revision Date: 24.05.2021 102000029699 Print Date: 24.05.2021

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened

packs/containers; follow relevant manual handling advice.

Advice on protection

against fire and explosion

No special precautions required.

Hygiene measures When using, do not eat, drink or smoke. Wash hands immediately after

work, if necessary take a shower.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep away from direct sunlight. Keep containers tightly closed in a dry,

cool and well-ventilated place.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.01 mg/m3		OES BCS*
		(TWA)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Please observe the instructions regarding permeability and Hand protection

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber Rate of permeability > 480 min Glove thickness > 0.4 mmProtective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection Eye protection not required when used as recommended.

Kordon® Termite Barrier

Version 1 / AUS Revision Date: 24.05.2021 102000029699 Print Date: 24.05.2021

Skin and body protection Light protective clothing

General protective measures In normal use and handling conditions please refer to the label

and/or leaflet. In all other cases the above mentioned

recommendations would apply.

Engineering Controls

Melting point/range

Advice on safe handling No specific precautions required when handling unopened

packs/containers; follow relevant manual handling advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form sheets

Colour orange

black

Odour No data available

Odour Threshold No data available

pH No data available

5.

Boiling Point No data available

Flash point No data available

Flammability No data available

Auto-ignition temperature No data available

Thermal decomposition No data available

Minimum ignition energy No data available
Self-accelarating No data available

Self-accelarating decomposition temperature

Upper explosion limit

(SADT)

No data available

No data available

Lower explosion limit No data available

Vapour pressure No data available

Evaporation rate No data available

Relative vapour density No data available

Relative density No data available

Density No data available

Water solubility insoluble

Partition coefficient: n-

octanol/water

Deltamethrin: log Pow: 6.4 (25 °C)

Viscosity, dynamic No data available

Kordon® Termite Barrier

 Version 1 / AUS
 Revision Date: 24.05.2021

 102000029699
 Print Date: 24.05.2021

Viscosity, kinematic

Oxidizing properties

No data available

Explosivity

No data available

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility ofNo hazardous reactions when stored and handled according to

hazardous reactions prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

decomposition products

10.6 Hazardous

No decomposition products expected under normal conditions of use.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 10,100 mg/kg

Test conducted with a similar formulation.

Acute inhalation toxicity ATE (Mix) > 5.0 mg/l

Acute toxicity estimate

Acute dermal toxicity LD50 (Rat) > 10,100 mg/kg

Test conducted with a similar formulation.

Skin corrosion/irritation No skin irritation (Rabbit)

Test conducted with a similar formulation.

Serious eye damage/eye

irritation

Slight irritant effect - does not require labelling. (Rabbit)

Test conducted with a similar formulation.

Respiratory or skin Non-sensitizing. (Guinea pig)

sensitisation Test conducted with a similar formulation.

Assessment mutagenicity

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental

Kordon® Termite Barrier

Version 1 / AUS Revision Date: 24.05.2021 102000029699 Print Date: 24.05.2021

effects seen with Deltamethrin are related to maternal toxicity.

Assessment STOT Specific target organ toxicity - single exposure

Deltamethrin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient neurobehavioral effects typical for pyrethroid neurotoxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Inhalation not likely., May cause irritation of the mucous membranes. May cause sensitisation by skin contact.

May cause irritation on prolonged contact.

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

Further information

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.15 μg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient deltamethrin.

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 0.0131 µg/l

invertebrates

Exposure time: 48 h

The value mentioned relates to the active ingredient deltamethrin.

Toxicity to aquatic plants EC50 (Algae) > 9.1 mg/l

Kordon® Termite Barrier

 Version 1 / AUS
 Revision Date: 24.05.2021

 102000029699
 Print Date: 24.05.2021

Exposure time: 96 h

The value mentioned relates to the active ingredient deltamethrin.

12.2 Persistence and degradability

Biodegradability Deltamethrin:

Not rapidly biodegradable

Koc Deltamethrin: Koc: 10240000

12.3 Bioaccumulative potential

Bioaccumulation Deltamethrin: Bioconcentration factor (BCF) 1,400

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Deltamethrin: Immobile in soil

12.5 Other adverse effects

Additional ecological

information

No further ecological information is available.

SECTION 13. DISPOSAL CONSIDERATIONS

Its is recommended to dispose of this product through its intended use. Off cuts of this material may be placed on top of an installed Kordon barrier prior to concrete slab pour. Alternatively off cuts should be tied in a Kordon plastic delivery bag and disposed of at an approved waste disposal facility.

SECTION 14. TRANSPORT INFORMATION

According to national and international transport regulations not classified as dangerous goods.

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994 Australian Pesticides and Veterinary Medicines Authority approval number: 60759

SUSMP classification (Poison Schedule)

Exempt (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Trademark information Kordon® is a Registered Trademark of the Bayer Group.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Kordon® Termite Barrier

Version 1 / AUS Revision Date: 24.05.2021 102000029699 Print Date: 24.05.2021

Road

ATE Acute toxicity estimate

AU OEL Australia, OELs. (Adopted National Exposure Standards for Atmospheric

Contaminants in the Occupational Environment)

CAS-Nr. Chemical Abstracts Service number

CEILING Ceiling Limit Value Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)
Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

ICx

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure

Standard"

PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration

of a particular substance determined over the shortest analytically practicable period of

time which does not exceed 15 minutes.

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SK-SEN Skin sensitiser

SKIN_DES SKIN_DES: Skin notation: Absorption through the skin may be a significant source of

exposure.

STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA

exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the

STEL.

TWA: Exposure standard - time-weighted average (TWA): The average airborne

concentration of a particular substance when calculated over a normal eight-hour

working day, for a five-day working week.

TWA Time weighted average

UN United Nations

WHO World health organisation

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is

Kordon® Termite Barrier

Version 1 / AUS 102000029699



Revision Date: 24.05.2021 Print Date: 24.05.2021

sent to our customers and is also available on request.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.